

Application of Welding Robots in Automotive Body Manufacturing

Xiaojing Zhang, Qing Zheng, Weifeng Mao

(Huanghe University of Technology, Jiaozuo, 454950, China)

Abstract: With the continuous improvement of living standards, people's demands for automotive product quality are constantly rising. To meet the growing market needs, automobile manufacturers are continuously enhancing production efficiency and product quality. Currently, welding robots are widely used in vehicle body manufacturing, effectively ensuring body quality and improving production efficiency to a certain extent. This paper provides an overview of welding robots, analyzes their specific applications in vehicle body manufacturing, and proposes application strategies to further strengthen the core competitiveness of automotive manufacturing enterprises.

Keywords: welding robot; automobile; body manufacturing

1 Introduction

In modern society, with rapid economic development and a significant improvement in people's quality of life, small passenger cars have gradually entered households, becoming an indispensable mode of transportation in daily life. This substantial market demand offers broad space and potential for the growth of the automotive industry. In car manufacturing, body quality is one of the key factors determining vehicle performance. Applying welding robots in automobile body production can greatly enhance both welding efficiency and quality. This paper explores the application of welding robots in automobile body manufacturing, aiming to provide theoretical support and technical guidance for practical applications in the automotive industry.

2 Overview of Welding Robots

A welding robot is a highly automated welding device capable of performing welding tasks without human intervention [1]. The application of welding robots significantly improves welding production efficiency and product quality, while reducing workers' physical labor and minimizing safety hazards. Compared to traditional manual welding methods, welding robots offer higher welding speeds and less welding deformation. Since no human involvement is required during the welding process, they eliminate the impact of human factors—such as worker fatigue or emotional fluctuations—on weld quality. Additionally, in high-temperature environments, welding robots require special materials and advanced cooling systems to ensure both robotic stability and consistent welding performance. By using heat-resistant alloy materials and efficient heat dissipation devices, welding robots can operate continuously and stably under high temperatures, preventing malfunctions or performance degradation caused by overheating. In high-pressure environments, welding robots need robust structural designs and precise control systems to guarantee the safety and accuracy of the welding process. Enhancing structural rigidity and stability, along with optimizing the control system for welding parameters, enables accurate welding operations under high pressure, avoiding defects or accidents caused by pressure fluctuations. In environments containing toxic or hazardous gases, welding robots must be equipped with specialized protective enclosures and air purification systems to safeguard operators from harmful exposure. Through the use of well-sealed welding chambers and advanced air purification technologies, welding robots can safely perform welding tasks in such hazardous conditions, preventing health risks and maintaining production efficiency.

Welding robots, equipped with special materials, high-strength structural designs, precise control systems, professional protective devices, and air purification systems, can adapt to welding tasks in various complex environments. This not only ensures production safety and stability but also improves welding quality and efficiency, making significant contributions to the development of the modern automotive manufacturing industry.

3 Specific Applications of Welding Robots in Automotive Manufacturing

3.1 Automotive Body Welding

Automotive body welding is a critical manufacturing process involving the precise joining of frames, floors, side panels, doors, and other body components. In this process, resistance spot welding technology performed by welding robots plays a vital role, significantly affecting not only the accuracy of body assembly but also directly influencing the reliability and safety of vehicle production [2]. Therefore, gaining a deep understanding and optimizing the application of resistance spot welding technology are essential for improving automotive manufacturing quality. In automotive body welding processes, resistance spot welders are indispensable equipment. Depending on application scenarios and requirements, resistance spot welders are primarily categorized into three types: overhead welding systems, dedicated multi-spot welding machines, and spot welding robots.

First, suspended welding equipment is primarily used for positioning and welding on body assembly lines, as well as for parts with relatively complex welding areas. This type of equipment features simple operation and strong adaptability, and is widely applied in the assembly and spot welding processes of various automotive body components.

Second, dedicated multi-point welding equipment can achieve high productivity and minimal welding deformation. However, such equipment is typically suitable only for specific product models, resulting in relatively low flexibility. In automotive body welding production lines, spot welding of floor panels is primarily carried out by dedicated multi-point welding equipment, and the number of such machines used reflects the overall level of automation in the production line.

Third, with advances in technology and increasing automation levels, spot welding robots have gradually replaced traditional welding tools on vehicle body assembly lines. They enable precise control of welding parameters, ensuring welding quality remains unaffected. At the same time, spot welding robots offer high efficiency and flexibility, making them well-suited to mixed production demands involving diverse models and small batch sizes. In automotive body assembly processes, these robots are primarily used in critical stages such as body welding, body assembly, and body installation. They not only enhance production efficiency and reduce labor intensity but also integrate body welding into flexible manufacturing, providing strong support for the transformation and upgrading of the automotive industry [3].

Resistance spot welding technology using welding robots plays a crucial role in automotive body assembly. By continuously optimizing the resistance spot welding process and equipment, the reliability and safety of vehicle body manufacturing can be further enhanced, driving ongoing development and innovation in the automotive industry.

3.2 Automotive Body Component Welding

In modern automotive manufacturing, welding technology plays a crucial role. With continuous technological advancements, various welding methods such as spot welding, projection welding, and arc welding have been widely applied in the production of automotive body components. These techniques not only enhance production efficiency but also significantly improve the quality and reliability of vehicle parts. In the manufacturing process of automotive body components, key operations include welding crossbeam mounting brackets, steering arms, and mufflers. The welding quality of these parts directly affects vehicle safety and service life. Therefore, selecting appropriate welding methods and strictly controlling welding quality are essential to ensuring high-quality automotive body components. During arc welding, welding robots are playing an increasingly important role. Powered by hydraulics, they can

precisely control welding paths and speeds, enabling efficient and stable welding operations [4]. Moreover, welding robots feature high levels of automation and intelligence, greatly improving both welding quality and production efficiency. However, the application of welding robots in automotive body manufacturing also faces certain challenges. For instance, if the workpieces do not meet requirements—such as being contaminated with oil, rust, or other impurities—the arc welding robot may malfunction, leading to reduced weld quality or even safety incidents. Thus, strict quality control of the workpieces is necessary to ensure they meet welding specifications, and regular maintenance and servicing of the robots must be carried out to keep them in optimal working condition. Additionally, advanced welding technologies and equipment can be introduced to further enhance welding quality and productivity.

Welding robots play a crucial role in the welding of automotive body components. By selecting appropriate welding methods, strictly controlling welding quality, and enhancing maintenance and management of robotic welding systems, the quality and reliability of automotive body parts can be ensured, providing strong support for the sustainable development of the automotive manufacturing industry.

4 Application Strategies of Welding Robots in Automotive Body Manufacturing

4.1 Optimize Key Technologies

Sensors, control systems, and actuators are key technologies for welding robots, enhancing their adaptability and intelligence. To achieve fully automatic welding and improve robot control, remote-controlled welding technology can be employed, enabling operations to commence even when personnel are absent from the site, thus allowing effective monitoring of the entire workflow. This is highly significant for ensuring work efficiency, improving quality, and safeguarding worker safety. Furthermore, optimizing these core technologies can enhance the control performance of welding robots, thereby expanding their range of applications.

4.2 Develop Advanced Control Systems

In automotive body manufacturing, welding robots have become indispensable equipment. Their efficiency, precision, and stability have significantly improved welding quality. However, how to better utilize welding robots and enhance their work efficiency and reliability remains a critical issue for engineers. To address this, an advanced welding robot control system can be developed to precisely manage the behavior and operational methods of welding robots.

First, advanced computer and information technologies can be applied to precisely plan work processes, which are then input into the welding robot control system, enabling accurate control of the welding robots. This control method not only allows for precise management of the robot's own inputs and outputs but also enables simulation of the surrounding environment, helping the welding robot better adapt to various complex working conditions.

Second, PLC technology can be applied in welding robot control systems to enable the internal control system to integrate and manage other equipment, performing operations such as data collection, analysis, and monitoring. At the same time, sensors can be used to comprehensively monitor the working environment, checking whether the welding robot exhibits any abnormal behavior during production. Through this comprehensive monitoring approach, issues can be promptly identified and resolved, ensuring stable operation of the welding robots and further improving their work efficiency.

Third, the welding robot control system should feature a user-friendly human-machine interface, enabling operators to more conveniently control and monitor the robot. Through an intuitive interface and real-time data feedback, operators can continuously monitor the robot's operational status and welding quality, allowing them to promptly adjust welding parameters and strategies to ensure smooth production.

Fourth, by applying advanced computer and information technologies, it is possible to simulate the environment surrounding welding robots, enabling them to better adapt to various complex working conditions and providing more efficient and precise welding solutions for modern automotive body manufacturing. Additionally, welding

robot control systems should be upgraded and modified according to actual needs to enhance their scalability and flexibility, allowing them to accommodate a wider range of welding tasks and production environments. For instance, by incorporating more advanced sensors and algorithms, precise monitoring and control of the welding process can be achieved, further improving welding quality and efficiency.

By applying advanced welding robot control systems, not only can precise control of robots be achieved, but also their work efficiency and stability can be improved, making a positive contribution to the sustainable development of automotive manufacturing enterprises.

4.3 Optimizing the Software System

In automotive body manufacturing, the welding robot software system plays a crucial role. The system primarily consists of KSS, PC systems, and an OPC Server, which work together to ensure that welding robots can efficiently and accurately complete welding tasks.

First, as one of the core components of the welding robot software system, KSS primarily focuses on real-time control, enabling precise adjustment of the robot's operating speed to ensure stability and continuity in the welding process. At the same time, KSS monitors critical parameters such as current to guarantee welding quality. Thanks to KSS's precise control, welding robots can maintain efficient and stable performance even in complex and variable working environments.

Second, the software system communicates with the PC via the TCP/IP protocol, enabling remote monitoring and control of welding robots. Through the PC system, operators can remotely monitor the real-time status of the welding robots and make necessary adjustments and optimizations from a distance. This capability of remote monitoring and control significantly enhances the flexibility and efficiency of automotive body welding processes.

Third, the OPC Server plays a crucial role in data exchange and sharing, enabling integration and sharing of data between KSS and PC systems to ensure smooth information flow and collaborative operation among various systems. Through the OPC Server, operators can gain a more comprehensive understanding of the welding robot's operational status and performance, providing strong support for subsequent maintenance and optimization.

In the welding robot software system, the function panel serves as a crucial interface for operators to interact with the robot. This panel comprises several components, including the human-machine interface, input/output modules, and a database. The human-machine interface provides an intuitive operating environment, enabling operators to easily control various actions and parameters of the welding robot. The input/output section is responsible for converting and transmitting sensor data and operational commands from the robot. The database stores and manages the robot's operational data and historical records, thereby supporting subsequent data analysis and optimization. Furthermore, to optimize the welding robot software system, adjusting the control loop and tuning PID parameters are essential steps. By fine-tuning the control loop, precise control over the robot's motion trajectory and welding parameters can be achieved, improving both welding quality and efficiency. Implementing PID parameter tuning allows for minor adjustments to the robot's movement speed and acceleration based on actual working conditions, enabling the robot to better adapt to diverse work environments and task requirements.

In automotive body manufacturing, the software system of welding robots is crucial for achieving efficient, stable, and high-quality welding. A thorough understanding of the functions and roles of each component within the welding robot software system, along with optimization efforts, can significantly enhance the performance of welding robots and make greater contributions to the development of the automotive industry.

5 Conclusion

Currently, welding robots are widely used in the automotive manufacturing industry and have become a crucial technology in vehicle body production. To enhance their effectiveness in automobile body manufacturing, it is essential to conduct in-depth research, identify existing shortcomings during application, optimize related

technologies, and thereby promote sustainable development of the automotive industry.

References

- [1] Wu Yaqiang. “Application and Development of Welding Robots in Automotive Intelligent Manufacturing”[J]. Popular Automobile, 2025 (12): 16-18.
- [2] Chang Jing, Chen Ji, Liu Junxian, et al. “Application of Welding Robots in Automobile Body Manufacturing”[J]. Automobile Knowledge, 2024(6): 35-37.
- [3] Chen Peng. “Application of Robot Welding Workstation in Automobile Manufacturing”[J]. Integrated Circuits Application, 2020(4): 70-71. DOI: 10.19339/j.issn.1674-2583.2020.04.024.
- [4] Lv Jinbo. “Application of Welding Robots in the Manufacturing of Cranes”[J]. Metalworking (Heat Treatment), 2016(20): 10-11.